

Table 1. Average nightly number of corn earworm moths captured in eastern Virginia black light traps, 2013 season.

Nightly trap catch average for week ending:																	
Location (county-town)	5/23	5/30	6/06	6/13	6/20	6/27	7/03	7/11	7/18	7/25	8/01	8/08	8/15	8/22	8/29	9/05	9/12
Southeast																	
Accomack-Painter.....	n/a	n/a	n/a	0.0	0.0	3.3	1.3	1.1	n/a	n/a	2.1	0.1	n/a				
Chesapeake-Ballahack Rd.	n/a	n/a	n/a	n/a	n/a	n/a	n/a	2.0	2.3	2.0	1.4	1.4	n/a				
Dinwiddie-Old Hickory	n/a	n/a	n/a	n/a	n/a	n/a	4.0	7.3	6.9	6.1	10.9	13.6	35.0				
Dinwiddie-McKenney.....	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	5.0	6.3	19.4				
Isle of Wight	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.7	0.8	3.3				
Petersburg	n/a	n/a	n/a	n/a	1.3	0.4	2.0	1.0	2.3	1.4	0.7	3.1	3.6				
Prince George-Templeton.....	n/a	n/a	n/a	n/a	n/a	n/a	0.2	0.1	0.6	0.5	0.6	1.3	2.6				
Prince George-Disputanta.....	n/a	n/a	n/a	n/a	n/a	n/a	0.4	0.3	0.0	0.0	1.0	6.3	8.6				
Southampton	n/a	n/a	n/a	n/a	0.3	n/a	n/a	n/a	n/a	0.1	0.6	3.0	4.0				
Suffolk-Holland	0.9	0.3	0.3	0.3	0.1	0.1	0.5	0.4	0.4	0.0	1.7	5.6	7.3				
Surry	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a				
Sussex-Waverly	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	6.5	3.0	2.8	3.9	5.0				
Virginia Beach-HRAREC.....	n/a	0.0	0.0	0.0	0.3	0.1	0.6	0.0	0.0	0.0	0.0	0.4	n/a				
Virginia Beach-West Neck	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a				
North of James River																	
Charles City	n/a	n/a	n/a	n/a	n/a	6.3	4.7	5.4	7.7	0.3	n/a	11.4	25.0				
Essex	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.0	0.3	0.0	0.4				
Gloucester	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	2.5	3.5	8.0				
King William	n/a	n/a	n/a	n/a	n/a	0.2	0.0	n/a	0.0	n/a	0.0	0.5	n/a				
Northumberland.....	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a				
Middlesex	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.0	3.0	3.0	7.0				
New Kent	n/a	n/a	n/a	n/a	n/a	2.4	4.3	0.9	6.3	n/a	n/a	6.8	17.4				
Richmond Co.-Warsaw	n/a	n/a	0.3	0.9	0.5	0.4	0.0	0.0	0.0	0.0	0.6	2.4	4.1				

n/a = report not available.

Table 2. Average nightly number of brown marmorated stink bug (BMSB) captured in eastern Virginia black light traps, 2013 season.

Nightly BMSB trap catch average for week ending:																	
Location (county-town)	5/23	5/30	6/06	6/13	6/20	6/27	7/03	7/11	7/18	7/25	8/01	8/08	8/15	8/22	8/29	9/05	9/12
Southeast																	
Accomack-Painter	n/a	n/a	n/a	0.0	0.0	0.1	0.0	n/a	0.3	n/a	0.0	0.0	0.4				
Chesapeake-Ballahack Rd.	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.0	0.0	0.0	0.0	0.0	n/a				
Dinwiddie-Old Hickory	n/a	n/a	n/a	n/a	n/a	n/a	0.0	0.0	0.0	0.0	0.0	n/a	0.0				
Dinwiddie-McKenney	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.0	0.0			
Isle of Wight	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.0	0.0	0.0				
Petersburg	n/a	n/a	n/a	n/a	2.3	2.9	0.7	2.8	13.5	15.0	3.1	6.4	5.0				
Prince George-Templeton	n/a	n/a	n/a	n/a	n/a	n/a	0.2	0.0	0.0	0.0	0.0	0.0	0.0				
Prince George-Disputanta	n/a	n/a	n/a	n/a	n/a	n/a	0.2	0.0	0.7	1.0	0.6	0.1	0.3				
Southampton	n/a	n/a	n/a	n/a	0.0	n/a	n/a	n/a	n/a	0.0	0.0	0.0	0.0				
Suffolk-Holland	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0				
Surry	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a				
Sussex-Waverly	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.1	n/a	0.0	n/a				
Virginia Beach-HRAREC	n/a	0.0	0.0	1.3	0.0	0.1	0.7	1.4	3.0	0.6	0.7	1.0	n/a				
Virginia Beach-West Neck	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a				
North of James River																	
Charles City	n/a	n/a	n/a	n/a	n/a	0.0	0.0	0.0	1.8	0.4	n/a	0.0	2.0				
Essex	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.0	0.0	0.0	1.1				
Gloucester	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	15.0	45.0	16.0				
King William	n/a	n/a	n/a	n/a	n/a	1.3	0.9	n/a	2.7	n/a	1.0	3.2	n/a				
Northumberland	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a				
Middlesex	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.0	2.5	15.0	42.0				
New Kent	n/a	n/a	n/a	n/a	n/a	0.1	0.6	0.9	0.6	n/a	n/a	0.3	4.4				
Richmond Co.-Warsaw	n/a	n/a	0.0	0.0	0.0	0.0	0.2	0.1	0.4	0.3	0.1	0.6	5.9				

n/a = report not available.