

**Table 1. Average nightly number of corn earworm moths captured in eastern Virginia black light traps, 2012 season.**

Nightly trap catch average for week ending:																
Location (county-town)	5/03	5/10	5/17	5/24	5/31	6/07	6/14	6/21	6/28	7/05	7/12	7/19	7/26	8/02	8/09	
<b>Southeast</b>																
Accomack-Painter	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Chesapeake-Ballahack Rd.	n/a	n/a	n/a	n/a	n/a	0.0	0.3	1.0	0.6	n/a	0.3	0.6	n/a	n/a	n/a	
Dinwiddie-Old Hickory	n/a	n/a	n/a	n/a	6.6	5.4	7.1	5.2	n/a	9.2	22.4	13.9	n/a	n/a	n/a	
Dinwiddie-North	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Isle of Wight	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.3	7.4	8.6	11.7	
Petersburg	n/a	n/a	n/a	n/a	0.0	0.0	0.3	1.1	0.6	0.4	0.1	0.4	3.0	8.0	5.6	
Prince George-Templeton	n/a	n/a	n/a	n/a	n/a	0.0	0.3	0.1	0.8	0.4	0.5	1.3	4.3	3.6	2.6	
Prince George-Disputanta	n/a	n/a	n/a	n/a	n/a	0.0	0.3	0.3	0.6	0.3	0.3	0.7	2.5	4.3	20.3	
Southampton	n/a	0.3	1.2	0.4	0.6	0.0	0.1	0.4	0.4	0.9	1.1	2.0	13.3	23.0	4.4	
Suffolk-Holland	1.7	1.9	5.9	2.6	0.7	0.0	0.6	1.1	11.7	4.4	3.7	1.0	14.6	27.9	26.4	
Surry	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	16.0	
Sussex-Waverly	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	8.0	3.1	2.9	12.4	n/a	
Virginia Beach-HRAREC	0.0	0.0	0.0	0.0	n/a	n/a	n/a	0.1	0.3	0.0	0.3	0.0	1.6	0.0	n/a	
Virginia Beach-West Neck	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.5	n/a	4.1	n/a	
<b>North of James River</b>																
Essex	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	1.0	0.5	1.0	n/a
Gloucester	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	3.0	9.0	n/a	
King William	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.1	0.3	0.4	6.1	6.5	27.0	n/a	n/a	
Northumberland	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	
Middlesex	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	2.0	15.0	n/a	
New Kent	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	13.3	4.3	n/a	21.3	n/a	
Richmond Co.-Warsaw	n/a	n/a	n/a	n/a	n/a	n/a	n/a	0.2	0.3	0.3	1.1	1.4	11.1	31.0	25.0	

*n/a = report not available.*