

**Table 1. Average nightly number of corn earworm moths captured in eastern Virginia black light traps, 2012 season.**

Nightly trap catch average for week ending:																			
Location (county-town)	5/03	5/10	5/17	5/24	5/31	6/07	6/14	6/21	6/28	7/05	7/12	7/19	7/26	8/02	8/09	8/16	8/23	8/30	9/06
<b>Southeast</b>																			
Accomack-Painter	n/a																		
Chesapeake-Ballahack Rd.	n/a	n/a	n/a	n/a	n/a	0.0	0.3	1.0	0.6	n/a	0.3	0.6	n/a	n/a	n/a	n/a	5.7	n/a	n/a
Dinwiddie-Old Hickory	n/a	n/a	n/a	n/a	6.6	5.4	7.1	5.2	n/a	9.2	22.4	13.9	11.3	10.5	12.0	14.0	n/a	n/a	n/a
Dinwiddie-North	n/a																		
Isle of Wight	n/a	0.3	7.4	8.6	11.7	3.0	n/a	1.7	n/a										
Petersburg	n/a	n/a	n/a	n/a	0.0	0.0	0.3	1.1	0.6	0.4	0.1	0.4	3.0	8.0	5.6	3.6	7.1	5.3	5.4
Prince George-Templeton	n/a	n/a	n/a	n/a	n/a	0.0	0.3	0.1	0.8	0.4	0.5	1.3	4.3	3.6	2.6	1.9	3.7	5.3	6.2
Prince George-Disputanta	n/a	n/a	n/a	n/a	n/a	0.0	0.3	0.3	0.6	0.3	0.3	0.7	2.5	4.3	20.3	9.6	9.3	5.7	8.4
Southampton	n/a	0.3	1.2	0.4	0.6	0.0	0.1	0.4	0.4	0.9	1.1	2.0	13.3	23.0	4.4	6.0	8.0	9.0	n/a
Suffolk-Holland	1.7	1.9	5.9	2.6	0.7	0.0	0.6	1.1	11.7	4.4	3.7	1.0	14.6	27.9	26.4	5.3	5.9	9.1	10.9
Surry	n/a	16.0	21.1	23.6	8.9	n/a													
Sussex-Waverly	n/a	8.0	3.1	2.9	12.4	n/a	n/a	n/a	n/a	n/a									
Virginia Beach-HRAREC	0.0	0.0	0.0	0.0	n/a	n/a	n/a	0.1	0.3	0.0	0.3	0.0	1.6	0.0	0.0	0.1	n/a	0.4	1.9
Virginia Beach-West Neck	n/a	0.5	n/a	4.1	6.4	n/a	n/a	n/a	n/a										
<b>North of James River</b>																			
Essex	n/a	1.0	0.5	1.0	1.1	0.5	n/a	n/a	n/a										
Gloucester	n/a	3.0	9.0	n/a	11.0	n/a	n/a	n/a											
King William	n/a	0.1	0.3	0.4	6.1	6.5	27.0	2.3	5.0	1.4	0.1	n/a	n/a						
Northumberland	n/a																		
Middlesex	n/a	2.0	15.0	15.0	18.0	19.0	15.0	n/a											
New Kent	n/a	13.3	4.3	21.3	1.4	40.1	37.0	39.1	2.0	n/a									
Richmond Co.-Warsaw	n/a	0.2	0.3	0.3	1.1	1.4	11.1	31.0	25.0	33.4	16.8	28.7	87.6						

n/a = report not available.

**Table 2. Average nightly number of brown marmorated stink bug (BMSB) captured in eastern Virginia black light traps, 2012 season.**

Nightly BMSB trap catch average for week ending:															
Location (county-town)	5/31	6/07	6/14	6/21	6/28	7/05	7/12	7/19	7/26	8/02	8/09	8/16	8/23	8/30	9/06
<b>Southeast</b>															
Accomack-Painter	n/a														
Chesapeake-Ballahack Rd.	n/a	0.0	0.0	0.0	0.0	n/a	0.0	0.0	n/a	n/a	n/a	n/a	0.0	n/a	n/a
Dinwiddie-Old Hickory	0.0	0.0	0.0	0.0	n/a	0.8	1.9	1.9	2.0	1.3	1.0	1.1	n/a	n/a	n/a
Dinwiddie-North	n/a														
Isle of Wight	n/a	0.0	0.1	0.0	n/a	0.0	n/a								
Petersburg	2.6	0.0	0.3	0.3	0.9	0.9	2.0	19.6	25.7	31.6	13.9	4.4	0.3	2.1	5.4
Prince George-Templeton	n/a	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Prince George-Disputanta	n/a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0
Southampton	n/a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	n/a
Suffolk-Holland	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Surry	n/a	0.0	0.0	0.0	0.0	n/a									
Sussex-Waverly	n/a	n/a	n/a	n/a	n/a	n/a	0.0	0.4	n/a	0.0	n/a	n/a	n/a	n/a	n/a
Virginia Beach-HRAREC	0.0	0.0	0.0	0.0	1.0	0.0	1.0	2.4	2.6	2.7	0.7	1.0	n/a	0.6	2.1
Virginia Beach-West Neck	n/a	0.0	n/a	0.0	0.0	n/a	n/a	n/a	n/a						
<b>North of James River</b>															
Essex	n/a	0.0	0.0	0.0	0.0	0.0	n/a	n/a	n/a						
Gloucester	n/a														
King William	n/a	n/a	n/a	0.9	0.0	0.1	1.9	2.5	7.3	1.8	1.5	2.3	0.7	n/a	n/a
Northumberland	n/a														
Middlesex	n/a														
New Kent	n/a	n/a	n/a	n/a	n/a	n/a	0.0	4.3	0.6	0.0	0.9	0.8	0.0	0.0	n/a
Richmond Co.-Warsaw	n/a	n/a	n/a	0.3	0.1	0.3	0.4	2.0	2.7	2.2	2.8	0.2	0.1	0.3	0.4

n/a = report not available.