

MaluSim Carbohydrate Model*


**Simulation location: Winchester, VA
(Northern Shenandoah Valley Fruit
Growing Region)**

Simulation date: 11 May 2015 8:30AM

Greg Peck

*Developed by Drs. Alan Lakso and
Terence Robinson, Cornell University

Winchester, VA 11 May 2015




MaluSim Carbohydrate Model for Winchester, VA 11 May 2015

← National
Weather
Service
forecast →

◇ Daily
▲ 2+4-day Running Average

g CHO/day



Silver Tip

Interpreting the MaluSim Model: look for three-to four-day trends

Thinning Index	Recommendation
>20 g/day	Expect little or no response to normal rates of chemical thinners. You will need to thin more aggressively than normal
+ 20 to -20 g/day	Expect normal thinning responses to standard rates of chemical thinners
-20 to -40 g/day	Expect normal to slightly aggressive responses to standard rates of chemical thinners
-40 to -60 g/day	Expect aggressive responses to standard rates of chemical thinners. Consider reducing rates to avoid over thinning
-60 to -80 g/day	Expect very aggressive responses to standard rates of chemical thinners. Reduce rates to avoid over thinning
< -80 g/day	Standard rates of thinners will result in severe over-thinning. Reduce rates by at least 50 percent.

(Table developed by Dr. Steve McArtney (NCSU). Additional input from Drs. Alan Lakso and Greg Peck)

Virginia Cooperative Extension

VirginiaTech
Invent the Future

VSN

[Home](#)
[Publications & Resources](#)
[Local Offices & Research Ctrs.](#)
[Program Areas](#)
[News](#)
[Calendar](#)
[About](#)

[Agriculture and Natural Resources >](#)

Tree fruit extension and outreach

We are a collaborative team of Extension specialists and agents who deliver year-round programming for the Commonwealth's tree fruit producers. We provide our stakeholders with the latest research-based information for making sustainable management decisions on their farms. We also develop resources for beginning farmers and home fruit enthusiasts.

Our information is disseminated through this website, Extension publications, workshops, on-farm meetings, and one-on-one conversations.

Find us on Facebook

Virginia Tech Tree Fruit Extension and Outreach
[Like](#) You like this.

Virginia Tech Tree Fruit Extension and Outreach
<http://extension.psu.edu/plants/tree-fruit/news/2014/cherry-flower-damage-observations>

Cherry Flower Bud Damage Observations — Tree Fruit Production (Penn State Extension)

- Tree fruit extension and outreach home
- Tree fruit production in Virginia
- Disease updates
- Pest management updates
- Horticulture updates
- Upcoming programs & events
- VCE publications
- Additional resources
- Home fruit production
- Tree fruit extension team
- Alison H. Smith Jr. Agricultural Research and Extension Center

Subscribe to commercial tree fruit updates

Enter your email address:

[Subscribe](#)

Delivered by **FeedBurner**

2014 Spray Bulletin for Commercial Tree Fruit Growers

eApples
research-based information
from extension

Past updates: [disease](#) | [pest management](#) | [horticulture](#)

Commercial tree fruit production updates

04/23/2014
Fire blight update

From: Tree Fruit Disease Update

CAUTION: The observations, conditions, and recommendations reported for Winchester, VA are provided as a guide to fire blight risk assessment only for the immediate area of the Virginia Tech AREC located six miles southwest...

04/21/2014
Fire blight caution

From: Tree Fruit Disease Update

Virginia Cooperative Extension

VirginiaTech
Invent the Future

VSN

[Home](#)
[About](#)
[Links](#)
[Stay Connected](#)
[Contact](#)
[Tree Fruit Homepage](#)
[Dr. Peck's AREC Homepage](#)

Tree Fruit Horticulture Updates

Risk of Frosts this Week
Posted on April 13, 2014 by gmpeck

The weather forecasts for the coming week show three days with potential frosts. For Wednesday morning, the National Weather Service is forecasting a low of 29F in Winchester and a low of 30F in Tyro. I'm sure other locations in VA are also at risk of frost.

In the Winchester area, apples are 1/4" green tip with some cultivars showing pink. Peaches are at first pick to some early blooming cultivars having a few open flowers. The phenology in Central VA is a bit more advanced, with peaches having been in bloom for nearly two weeks. According to the critical temperature charts, we can expect a small amount of damage from these temperatures but not a complete crop failure. So, fingers crossed that it doesn't get any colder than predicted. However, even if flowers are not killed by the frosts, there is also the risk of russets and frost rings. Temperatures are forecasted to warm up towards the end of the week.

Below are links for the Washington State University fact sheets (as pdfs) on the critical temperatures for flower buds:

- Apples
- Peaches
- Cherries
- Pear

Michigan State University has adapted the WSU critical temperature fact sheets into this easy-to-read fact sheet.

MSU has also put together an excellent set of resources about freezes and frosts in fruit crops.

Additionally, work done by Dr. Steve McCartney (NCNU) and others has shown that applications of Promalin (gibberellin 4+7 plus the cytokinin 6-BA) at 25 ppm immediately following a frost event may help increase fruit set and cropping. In essence, the Promalin sends signals to the developing fruit that the seeds are still intact and growing, even though the frost has killed the embryo. The result is a crop of parthenocarpic (seedless) fruit. This "rescue treatment" is not a full proof way of setting a crop, and it is still unclear under what environmental conditions and for which cultivars it works best. If the temperatures drop much below 28F, each grower will have to make a decision as to whether or not it is worth trying to rescue the crop with Promalin.

Subscribe

Recent Posts

- » Risk of Frosts this Week
- » Fruit Bud Damage in the Winchester Area
- » Central Virginia Winter Fruit School Rescheduled for March 11
- » Rappahannock-Madison Winter Fruit School Rescheduled for March 6
- » Winchester Regional Fruit School

Social Media

Tags

Alison H. Smith Jr. AREC **apple** **Central Virginia** **Charles City** **Crop load** **Crop Report** **eApple** **eXtension** **Flower buds** **Frederick County** **freeze** **frost** **fruit school** **Harvest** **Maturity** **In-depth** **In-Orchard** **Meeting** **leaf** **Malusim** **Master Gardener** **NASS** **nutrition** **peach** **pre-harvest drop** **pruning** **Rappahannock County** **Return bloom** **rootstock** **soil** **Southside** **Spray Bulletin** **Spring** **Sweet Cherry** **Thinning** **tree** **Fruit Extension** **and Outreach** **Website** **Twilight Meeting** **USDA** **VCE** **voen** **VSHS** **Weather**

<http://blogs.ext.vt.edu/tree-fruit-horticulture/>

<http://www.anr.ext.vt.edu/tree-fruit/>

Email: greg.peck@vt.edu

Twitter: <http://twitter.com/VTechPeck>